Technical data

Indications about the technical data

Vehicle identification data

The values indicated in the technical data may differ depending on optional equipment or version of the model, as well as in the case of special vehicles and equipment for certain countries.

The information in the official vehicle documentation takes precedence at all times.

Abbreviations used in the Technical Specifications section

kW	Kilowatt, engine power measurement.
PS	Horsepower (not currently used), engine power measurement unit.
rpm, 1/min	Revolutions per minute – engine speed.
Nm	Newton metres, unit of engine torque.
CZ	Cetane number, indication of the diesel combustion power.
RON	Research octane number, indication of the knock resistance of petrol.

Vehicle Identification Number (VIN)

The vehicle ID number can be found in the following places:

- In the infotainment system using the function button **Vehicle > Settings > Service**.
- Front, visible through the small window on the lower left side of the windscreen.
- On the vehicle's data label.
- To the right in the engine compartment.

Type plate

The type plate is located on the vehicle's right hand door frame. Vehicles for certain export countries do not have a type plate.

Performance

The values apply only to optimal road and weather conditions.

The vehicle's performance has been calculated without any equipment that would affect it, e.g. accessories.

Fuel consumption

Approved consumption values are derived from measurements performed or supervised by certified EU laboratories, according to the legislation in force at the time (for more information, see the Publications Office of the European Union on the EUR-Lex website: © European Union, http://eur-lex.europa.eu/) for the specified vehicle characteristics.

The values relating to fuel consumption and CO_2 emissions can be found in the documentation provided to the purchaser of the vehicle at the time of purchase.

Fuel consumption and CO_2 emissions depend on the equipment/features of each individual vehicle, as well as on the driving style, road conditions, traffic conditions, environmental conditions, load or number of passengers.

Tank level

Petrol engines	40 l, 7 l reserve

Weights

The kerb weight values apply to a vehicle that is ready to drive with a driver (75 kg), operating fluids and, if applicable, tools and the spare wheel. The kerb weight increases with optional equipment and retrofitting of accessories, which reduce the possible payload accordingly.

Load on the roof

The maximum authorised load on the roof of your vehicle is 75 kg.

Trailer weight

The maximum permitted drawbar load on the ball head of the towing bracket is **50 kg**.

⚠ WARNING

The values indicated for the maximum permitted weights must not be exceeded. There is a risk of accident and damage!

Engine specifications

Petrol engines	1.0 MPI Start-Stop	1.0 TSI Start-Stop
Power output in kW (hp) at 1/min	59 (80)/6,300	70 (95)/5,000-5,500
Maximum torque (Nm at 1/min)	93/3,700-3,900	175/1,600-3,500
No. of cylinders/displacement (cm^3)	3/999	3/999
Fuel	Super 95 / Normal 91 (with a slight power loss) ROZ	
Gearbox (no. of gears) / traction	manual (5) / front	manual (6) / front
Top speed (km/h) [gear]	172 [IV]	186 [V]
Acceleration from 0-100 km/h (s)	15.3	11.0
Maximum authorised weight (kg)	1,630[a)]	1,660[a)]

[a)] Varies depending on the equipment.

Petrol engines	1.0 EcoTSI Start-Stop	
Power output in kW (hp) at 1/min	85 (116)/5,500	
Maximum torque (Nm at 1/min)	200/2,000-3,500	
No. of cylinders/displacement (cm^3)	3/999	
Fuel	Super 95 / Normal 91 (with a slight power loss) ROZ	
Gearbox (no. of gears) / traction	manual (6) / front	DSG (7) / front
Top speed (km/h) [gear]	198 [V]	198 [VI]
Acceleration from 0-100 km/h (s)	9.7	9.9
Maximum authorised weight (kg)	1,680[a)]	1,700[a)]

[a)] Varies depending on the equipment.

Engine specifications

Petrol engines	1.5 Start-Stop mHEV	1.5 TSI Start-Stop	1.5 Start-Stop mHEV
Power output in kW (hp) at 1/min	85 (116)/5,000-5,500	110 (150)/5,000-6,000	118 (160)/5,000
Maximum torque (Nm at 1/min)	220/1,500-4,000	250/1,500-3,500	250/1,500-4,000
No. of cylinders/displacement (cm^3)	4/1,498	4/1,498	4/1,498
Fuel	Super 95 / Normal 91 (with a slight power loss) ROZ		
Gearbox (no. of gears) / traction	DSG (7) / front	DSG (7) / front	DSG (7) / front
Top speed (km/h) [gear]	a)	216 [VI]	a)
Acceleration from 0-100 km/h (s)	a)	8.1	a)
Maximum authorised weight (kg)	a)	1,720b)	a)

a) Data not available as this edition goes to print.
b) Varies depending on the equipment.

Petrol engines	1.6 MPI	
Power output in kW (hp) at 1/min	81 (110)/5,800	
Maximum torque (Nm at 1/min)	152/3,850-4,100	
No. of cylinders/displacement (cm^3)	4/1,598	
Fuel	Super 95 / Normal 91 (with a slight power loss) ROZ	
Gearbox (no. of gears) / traction	manual (5) / front	automatic (6) / front
Top speed (km/h) [gear]	190 [V]	190 [V]
Acceleration from 0-100 km/h (s)	10.4	10.8
Maximum authorised weight (kg)	1,650a)	1,680a)

a) Varies depending on the equipment.

Dimensions.



Fig. 197 Dimensions.

		IBIZA
A	Front projection (mm)	807
B	Rear projection (mm)	699
C	Wheelbase (mm)	2,564
D	Length (mm)	4,070
E	Front[a] track (mm)	1,521
F	Rear[a] track (mm)	1,505
G	Width from one exterior mirror to the other (mm)	1,942
H	Width (mm)	1,780
I	Height at kerb weight (mm)	1,447

[a] This data will change depending on the type of wheel rim. Values for wheel 185/65 R15 ET40.